

*Thomas Russell, MD*  
*Kathleen Stokes, MD*  
*Gretchen Zirbel, MD*  
*James Russell, MD*  
*Sun Young Ruggeri, MD*  
*Steven Schuckit, MD*  
*Matthew Fleming, MD*  
*Marianne Junck, MD*  
*Evonne Winston, MD*

13800 W. North Ave.  
Suite 100  
Brookfield, WI 53005

14555 W. National Ave.  
New Berlin, WI 53151

1111 Delafield St.  
Suite 308  
Waukesha, WI 53188

N96W17035 Division Rd.  
Suite A  
Germantown, WI 53022

262.754.4488  
AFFILIATEDDERM.COM

## PRE-OP INFORMATION SHEET

### One week before surgery

- › If you can, stop ibuprofen-containing or similar medicines (Advil, Motrin, Aleve, Naproxen, Ketoprofen, etc.)
- › These medicines can cause an increase in bleeding during and after surgery and should be avoided if possible for the week prior to surgery.
- › If you take a baby (81mg) aspirin **solely** for prevention, and not because you have had a heart attack or stroke, you may stop one week prior to surgery as well.
- › If you take a blood thinner such as warfarin, coumadin, Plavix, Effient, Pradaxa, Eliquis, Xarelto, etc. **DO NOT** stop these medications. We have many ways to control additional bleeding these medications can cause.
- › If you need a pain medicine during this week, please try acetaminophen (Tylenol) as this will not thin your blood.
- › It would also be helpful to discontinue vitamin or herbal supplements, as many of these (including Vitamin E, omega 3 fatty acids, and others) can also thin your blood and lead to more bleeding. Alcoholic beverages can have the same effect.

### Antibiotics

- › If you were prescribed or normally take antibiotics prior to dental work or surgery, please start them as directed. If you believe you need pre-op antibiotics and were not prescribed them, please call us at (262)754-4488 and leave a message regarding your surgery.

*Thomas Russell, MD*

*Kathleen Stokes, MD*

*Gretchen Zirbel, MD*

*James Russell, MD*

*Sun Young Ruggeri, MD*

*Steven Schuckit, MD*

*Matthew Fleming, MD*

*Marianne Junck, MD*

*Evonne Winston, MD*

13800 W. North Ave.  
Suite 100  
Brookfield, WI 53005

14555 W. National Ave.  
New Berlin, WI 53151

1111 Delafield St.  
Suite 308  
Waukesha, WI 53188

N96W17035 Division Rd.  
Suite A  
Germantown, WI 53022

262.754.4488  
AFFILIATEDDERM.COM

## The day of surgery

- › If possible, bring someone with you.
- › Wear comfortable clothing.
- › Your appointment will last approximately 1 hour, including pre-op preparation and postop instructions.
- › Eat normally the day of your surgery. You do not need to fast.
- › Take your regular medications unless directed otherwise.
- › Expect to have a large pressure dressing placed over your surgical site.
- › This should remain in place for 24-48 hours. If your surgery involves the scalp it is possible that you may have a dressing wrapped around your entire head (to achieve pressure to the surgical wound).
- › If possible, take the remainder of the day off work to minimize postoperative bleeding.

## Following your procedure

- › While you have stitches in place, avoid activities that may place strain on your incision. This includes workouts that significantly raise blood pressure or lifting weights. This is to help prevent bleeding, pulling of sutures, and poor wound healing. If you are in doubt about what is acceptable clarify with the doctor or nurse.
- › Use an ice pack and take acetaminophen (Tylenol) to help prevent swelling and discomfort.
- › You will be given written instructions on how to care for your incision and how to reach us both during business hours and after-hours if needed.

*Thomas Russell, MD*

*Kathleen Stokes, MD*

*Gretchen Zirbel, MD*

*James Russell, MD*

*Sun Young Ruggeri, MD*

*Steven Schuckit, MD*

*Matthew Fleming, MD*

*Marianne Junck, MD*

*Evonne Winston, MD*

13800 W. North Ave.  
Suite 100  
Brookfield, WI 53005

14555 W. National Ave.  
New Berlin, WI 53151

1111 Delafield St.  
Suite 308  
Waukesha, WI 53188

N96W17035 Division Rd.  
Suite A  
Germantown, WI 53022

262.754.4488  
AFFILIATEDDERM.COM

- No repeated lifting or bending.
- No activity that raises your heart rate such as exercise, excessive stair climbing, lawn mowing, leaf raking or snow shoveling.
- For surgery on the head and neck, no activity that repetitively puts your head below heart level such as golfing, bowling, gardening.
- No swimming while stitches are in place.
- Wound care supplies you may wish to purchase before your procedure:
  - Acetaminophen (Tylenol)
  - Vaseline petroleum jelly
  - Q-tips
  - Ice pack
  - Non-stick bandages (for example, Telfa)
  - Paper tape
- These items can be purchased at any store that stocks medical supplies (e.g., Walgreens, CVS).

We hope that this information helps you to be well-prepared for your surgery.  
We look forward to seeing you in the near future. Thank you!